

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of claims:**

1. (currently amended) A process for treating a natural rubber latex article intended for use in contact with human tissue, to eliminate or reduce to negligible levels antigenic latex protein normally present in the article, comprising the steps of:

~~providing a latex article manufactured in accordance with conventional techniques; and~~

5 placing the article loosely in a chamber; and

introducing into the chamber a gaseous mixture containing a small proportion of an oxidizing agent for exposure of the article to the oxidizing agent.

~~exposing the article for a short period of time to a gaseous mixture containing a small proportion of an oxidizing agent.~~

2. cancelled

3. (currently amended) A process as claimed in claim 1 ~~2~~, wherein:  
the oxidizing agent comprises up to about 5%, by volume, of the gaseous mixture, and the remaining 95% of the gaseous mixture comprises an inert gas.

4. A process as claimed in claim 3, wherein:  
the oxidizing agent comprises fluorine gas and the inert gas comprises nitrogen gas.

5. A process as claimed in claim 1, wherein:  
the temperature of the gaseous mixture introduced into the chamber is about 72 °F and the pressure is about 14.7 psi.

6. A process as claimed in claim 4, wherein:  
the temperature of the gaseous mixture introduced into the chamber is about 72 °F and  
the pressure is about 14.7 psi.

7. (currently amended) A process as claimed in claim 1, wherein:  
~~the article is placed in a chamber;~~ the chamber is evacuated to purge it of oxygen, and the  
gaseous mixture is introduced into the chamber for exposure of the article to the gaseous  
mixture;

5 the oxidizing agent comprises up to about 5%, by volume, of the gaseous mixture, and  
the remaining 95% of the gaseous mixture comprises an inert gas;

the oxidizing agent comprises fluorine gas and the inert gas comprises nitrogen gas;  
the temperature of the gaseous mixture introduced into the chamber is about 72 °F and  
the pressure is about 14.7 psi; and

10 the time during which the article is exposed to the gaseous mixture in the chamber is  
about three minutes.

8. A process as claimed in claim 7, wherein:  
the gaseous mixture comprises from about 15% to about 20%, by volume, of the volume  
of the chamber.

9. (currently amended) A process for treating a natural rubber latex article to  
eliminate or reduce to negligible levels the latex protein normally found therein to make the  
article safe for contact with a person sensitive to the protein, comprising the steps of:

~~manufacturing a latex article in accordance with conventional techniques;~~

5 providing a chamber useful for fluorinating articles;

placing at least one said article in the chamber, sealing the chamber and purging it of  
extraneous oxidizing agents;

10 introducing a gaseous mixture containing about 5%, by volume, of a suitable oxidizing agent into the chamber ~~under predetermined~~ at a temperature of about 72 °F and a pressure of about 14.7 psi ~~pressure and temperature, and at a predetermined concentration and for a predetermined~~ period of time of about three minutes, to eliminate or reduce to a negligible level the latex protein normally present in the article.

10. A process as claimed in claim 9, wherein:  
the suitable oxidizing agent comprises fluorine gas.

11. (currently amended) A process as claimed in claim 10, wherein:  
~~the fluorine gas comprises about 5%, by volume, of the gaseous mixture, and the~~  
remaining 95%, by volume, of the gaseous mixture, comprises an inert gas.

12. cancelled

13. cancelled

14. A process as claimed in claim 9, wherein:  
a plurality of said articles are placed loosely in the chamber.

15. A process as claimed in claim 13, wherein:  
the articles comprise surgical gloves.

16. cancelled

17. (new) A process as claimed in claim 1, wherein:  
a plurality of said articles are placed loosely in the chamber.